DRYLOK® WETLOOK CLEAR HIGH GLOSS PENETRATING SEALER





DRYLOK® WetLook Clear High Gloss Penetrating Sealer with SaltLok®* is the perfect choice for the sleek modern home. The clean lines and smooth face of modern brick and sandstone are simply complimented with a high gloss shiny smooth finish. This product has the highest solids of all the clears and will offer the most protection. Adding **DRYLOK® Non-Skid Texture Additive** will give the surface more traction in high traffic areas.

FEATURES:

Formula: latex base

Finish: high gloss, clear

Protection level: 25% solids

Application tools: brush, roller, pad applicator, garden sprayer, squeegee

Location: interior, exterior, horizontal, vertical masonry surfaces

Where to use: concrete driveways, garage floors, concrete sidewalks, brick

walkways, terrazzo, and slate surfaces

Optional: add DRYLOK® Non-Skid Texture Additive to create a slip-

resistant coating

CSI Masterformat[®]: 09 97 23 CONCRETE AND MASONRY COATINGS

32 13 16 DECORATIVE CONCRETE PAVING

BENEFITS:

- Our highest level of moisture vapor barrier protection (25% solids)
- Resists de-icing salts
- Use on bare masonry or previously painted surfaces
- SaltLok® Technology helps prevent the leaching of minerals and salt
- Can be used over DRYLOK® Latex
 Concrete Floor Paint as a top coat
- Best for high traffic areas
- Listed in Masterspec® and BSD SpecLink®



1 Coat2 Maximum





200-400 Sq Ft Coverage per Gal







*Penetrates into the surface providing superior resistance to natural salts (efflorescence) from leaching through masonry

The unsightly white powdery residue that forms on masonry surfaces is called efflorescence. This occurs when soluble salts and other water dispersible materials come to the surface. Low temperatures, moist conditions, condensation, rain, dew, and the water added to the surface of fresh concrete may promote efflorescence producing conditions.

1 GAL. 2/Case......28913 5 GAL. 1/Unit28915

MARNING: Cancer and Reproductive Harm – www.P65Warnings.ca.gov

